IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

JUN 0 8 200

In re PATENT APPLICATION of

Inventor(s): Mills

Appln. No.: 09/009,455

Filing Date: 1/20/1998

Title: HYDRIDE FUEL AND EXPLOSIVE PADE

RECEIVED

JUI 1 9 2001

Group Art Unit: 1754

miner: Langel

June 8, 2001

RIMENTAL EVIDENCE FURTHER DEMONSTRATING THE **EXISTENCE OF LOWER-ENERGY HYDROGEN**

Hon. Asst. Commissioner of Patents and Trademarks Washington, D.C. 20231

Sir:

RECEIVED
JUN 1 1 2001
TC 1700 Attached is a Rule 132 Declaration of Applicant submitting additional experimental evidence that conclusively demonstrates the existence of lower-energy hydrogen.

Applicant maintains that the Secret Committee of Examiners assigned to prosecute this application has utterly failed to present a prima facie case of nonenablement and/or lack of utility under 35 U.S.C. §§ 101 and 112. To the extent that the Secret Committee raises even a coherent argument addressing these issues, those arguments are completely rebutted by the extensive experimental evidence already of record.

With the present submission, Applicant now goes even further by presenting novel spectral data from hydrogen atoms undergoing a catalyzed transition to lowerenergy states. The use of spectral lines to identify hydrogen atoms has been well known for over 100 years. Indeed, spectral data from hydrogen atoms is a basis for

OK to Enter

Appln. No.: 09/009,455

Page 2

the atomic theories of Bohr, Schrodinger, and Heisenberg. Therefore, Applicant's reliance on such spectral data from hydrogen atoms to confirm the presence of lowerenergy hydrogen cannot be summarily dismissed. Applicant demands that this evidence be considered and assigned the same high level of credibility given to the spectral lines used to identify the uncatalyzed energy states of hydrogen.

7C 170C Applicant's declaration includes an article entitled "Spectral Emission of Fractional Quantum Energy Levels of Atomic Hydrogen from a Helium-Hydrogen Plasma and the Implications for Dark Matter." The extreme ultraviolet spectroscopic data presented in the article conclusively confirm the existence of lower-energy hydrogen having fractional quantum states H(1/p), where p is an integer. The reaction vessel only contained hydrogen atoms and helium catalyst. All of the spectral lines for helium and ordinary hydrogen are well known and documented. The new emission lines shown in the figures included in the article were identified at energies of q 13.6eV, where g = 1, 2, 3, 4, 6, 7, 8, 9 and 11. Note that the intensity of the new emission lines increased over time as the concentration of lower-energy hydrogen increased during the reaction in the reaction vessel, thus further confirming the formation of lower-energy hydrogen.

From Table 1 in the article, it is remarkable how closely Applicant's predicted peaks for the energy of reaction for formation of lower-energy hydrogen matched the experimentally observed peaks to three significant figures. From Table 8 in the article, it is remarkable how closely Applicant's predicted peaks for the energy of reaction for formation of lower-energy hydrogen matched the peaks observed from the sun.

The Rule 132 Declaration of Applicant also includes an article entitled "Spectroscopic Identification of a Novel Catalytic Reaction of Potassium and Atomic Hydrogen and the Hydride Ion Product." This article conclusively demonstrates the formation of a hydride ion H⁻(1/4), also referred to as a lower-energy hydrogen ion. The novel hydride ion is identified spectroscopically at 110 nm corresponding to its predicted binding energy of 11.2 eV using a highly sophisticated extreme ultraviolet radiation spectrometer. Remarkably, Applicant's predicted binding energy of 11.2 eV



Appln. No.: 09/009,455

Page 3

for H⁻(1/4) matched the experimentally measured value to three significant figures.

The extreme ultraviolet spectroscopic data presented and shown in Figure 3 of the article conclusively demonstrates that (1) intense extreme ultraviolet (EUV) emission was observed from atomic hydrogen; and (2) an atomized catalyst formed a plasma in a cell that was only heated to moderate temperatures with <u>no</u> high voltage source. The plasma was fueled by Applicant's novel method of forming lower-energy hydrogen. No emission or plasma was observed in the case of the control noncatalysts.

Also enclosed are new chapters for Applicant's textbook, which was previously made of record. The new chapters are "Magnetic Parameters of the electron (Bohr Magneton)," pp. 70-119, and "Atomic Coulomb Field Collapse - Hydrino Theory Blacklight Process," pp. 165-189. These new chapters further demonstrate the accuracy of Applicant's theory, which is a true theory in the sense that an atomic parameter is derived from first principles and then experimentally verified to a high degree of accuracy.

In view of the overwhelming evidence already of record and the conclusive experimental evidence submitted herewith demonstrating the existence of lower-energy hydrogen, it is sincerely believed that the subject application is once again in condition for allowance and Notice to that effect is respectfully requested.

RECEIVED
JUL 1 9 2001
TC 1700

Respectfully submitted,

Manelli Denison & Selter, PLLC

Bv

Jeffrey S. Melcher

Tel. No.: 202.261.1045

Customer No. 20736

OK to Enter